

03500.015584.



CDC
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: S. Rogers
NOBUYOSHI KAKIGI, et al.)	
	:	Group Art Unit: 2625
Appl. No.: 09/908,696)	
	:	
Filed: July 20, 2001)	
	:	
For: IMAGE RECORDING DEVICE AND)	
IMAGE RECORDING METHOD	:	
	:	
U.S. Patent No.: 7,106,461 B2)	
	:	
Issued: September 12, 2006)	February 13, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Certificate
FEB 20 2007
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

02/15/2007 SZEWDIE1 00000078 7106461


01 FC:1811

100.00 OP

FEB 21 2007

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Frank L. Cire', is written over a horizontal line.

Frank L. Cire
Attorney for Patentees
Registration No.: 42,419

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 126672v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2
DATED : September 12, 2006
INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS:

Sheet 5, Figure 5, "RELATIVE PASS OF IMAGE FILE" should read -- RELATIVE PATH OF IMAGE FILE --;
Sheet 7, Figure 7, "RECODING" should read -- RECORDING --;
Sheet 11, Figure 11, "CONTORLLER" (both occurrences) should read -- CONTROLLER --;
Sheet 11, Figure 11, "CHANEGED" should read -- CHANGED --; and
Sheet 12, Figure 12, "POTION" should read -- OPTION --.

COLUMN 2:

Line 44, "FISG. 53A" should read -- FIGS. 53A --.

COLUMN 3:

Line 67, "user prints," should read -- user print --.

COLUMN 7:

Line 5, "detained" should read -- detailed --.

COLUMN 8:

Line 14, "hose" should read -- host --.

COLUMN 10:

Line 41, "forth" should read -- fourth --.

COLUMN 14:

Line 57, "on" should read -- or --; and
Line 66, "instruction" should read -- instructing --.

COLUMN 15:

Line 60, "flush" should read -- flash --; and
Line 61, "flush," should read -- flash, --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

→
FEB 21 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20:

Line 18, "pass" should read -- path --.

COLUMN 24:

Line 37, "and" should read -- and is --.

COLUMN 25:

Lines 22 and 25, "paper S" should read -- paper 8 --;

Line 56, "in" should read -- on --; and

Line 67, "papers S" should read -- papers 8.

COLUMN 26:

Line 1, "numeral 213" should read -- numeral 213S --;

Line 19, "flush," should read -- flash, --;

Line 40, "paper S" should read -- paper 8 --;

Line 41, "covey" should read -- conveying --;

Line 41, "coveys" should read -- conveys --;

Line 42, "paper S" should read -- paper 8 --;

Line 50, "numeral 241" should read -- numeral 241S --; and

Line 52, "paper S" should read -- paper 8 --.

COLUMN 27:

Line 6, "detention" should read -- detection --; and

Line 34, "251" should read -- 281 --.

COLUMN 28:

Line 3, "covey" should read -- conveying --; and

Line 47, "seed" should read -- speed --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 29:

Line 4, "the/CCRT" should read -- the /CCRT --;

Line 10, "became" should read -- becomes --;

Line 11, "/DYR signal became" should read -- /RDY signal becomes --; and

Line 17, "became" should read -- becomes --.

COLUMN 30:

Line 12, "CPU409." should read -- CPU 409. --;

Line 15, "POUTT93," should read -- POUTT 93, --;

Line 16, PFEDT94" should read -- PFEDT 94 --; and

Line 16, "SPCNG95" should read -- PCNG 95 --.

COLUMN 32:

Line 49, "link" should read -- links --; and

Line 58, delete " "Release flag" ".

COLUMN 33:

Line 34, "RAM407." should read -- RAM 407. --;

Line 42, "during" should read -- when --;

Line 43, " "FAISE" " should read -- FALSE --;

Line 43, "/DFY" should read -- /RDY --; and

Line 51, "a" should read -- an --.

COLUMN 34:

Line 22, "ROM 440 " should read -- ROM 404 --;

Line 58, "TRUE-FAISE," should read -- TRUE→FALSE, --; and

Line 59, "an" should read -- a --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 35:

Line 56, "U1" should read -- UI --.

COLUMN 36:

Line 3, "name" should read -- name is --.

COLUMN 37:

Line 53, "called," should read -- called --.

COLUMN 39:

Line 27, " "2000.04.2 2" " should read -- "2000.04.22" --.

COLUMN 41:

Line 21, "to" should read -- to a --; and

Line 27, " "000-0001" " should read -- "000-0001", --.

COLUMN 42:

Line 29, "mode" should read -- modes --; and

Line 41, "detailed-classification" should read -- detailed classification --.

COLUMN 44:

Line 66, "date" should read -- data --.

COLUMN 46:

Line 59, "these process" should read -- these process steps --.

COLUMN 49:

Line 48, "title" should read -- title, --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2
DATED : September 12, 2006
INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 52:

Line 25, "host's" should read -- host --; and
Line 54, "notified" should read -- notified of --.

COLUMN 54:

Line 31, " "1999. 12.31", " should read -- "1999.12.31", --; and
Line 41, "unit," should read -- unit --.

COLUMN 56:

Line 54, "image" should read -- images --.

COLUMN 58:

Line 30, "head" should read -- header -- and
Line 45, "name" should read -- names --;

COLUMN 59:

Line 40, "down load" should read -- download --.

COLUMN 60:

Line 4, "102" (first occurrence) should read -- 500 --; and
Line 60, "notified" should read -- notified of --.

COLUMN 61:

Lines 20 and 22, "carried" should read -- carried out --; and
Line 48, "with" should read -- with IP address --.

COLUMN 62:

Lines 41, 43, 45, 52 and 55, "with" should read -- with IP address --;
Line 50, "of" should read -- of IP address --; and
Lines 65 and 67, "another" should read -- other --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 65:

Line 15, "is" should read -- are --;

Lines 19 and 55, "adopted;" should read -- adopted: --; and

Line 40, "realized;" should read -- realized: --.

COLUMN 66:

Line 11, "realized;" should read -- realized: --;

Line 15, "added," should read -- added --;

Line 21, "request" should read -- requests --;

Line 43, "instructions" should read -- instruction --; and

Line 50, "a" should read -- an --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS:

Sheet 5, Figure 5, "RELATIVE PASS OF IMAGE FILE" should read -- RELATIVE PATH OF IMAGE FILE --;

Sheet 7, Figure 7, "RECODING" should read -- RECORDING --;

Sheet 11, Figure 11, "CONTORLLER" (both occurrences) should read -- CONTROLLER --;

Sheet 11, Figure 11, "CHANEGED" should read -- CHANGED --; and

Sheet 12, Figure 12, "POTION" should read -- OPTION --.

COLUMN 2:

Line 44, "FISG. 53A" should read -- FIGS. 53A --.

COLUMN 3:

Line 67, "user prints," should read -- user print --.

COLUMN 7:

Line 5, "detained" should read -- detailed --.

COLUMN 8:

Line 14, "hose" should read -- host --.

COLUMN 10:

Line 41, "forth" should read -- fourth --.

COLUMN 14:

Line 57, "on" should read -- or --; and

Line 66, "instruction" should read -- instructing --.

COLUMN 15:

Line 60, "flush" should read -- flash --; and

Line 61, "flush," should read -- flash, --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007.



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20:

Line 18, "pass" should read -- path --.

COLUMN 24:

Line 37, "and" should read -- and is --.

COLUMN 25:

Lines 22 and 25, "paper S" should read -- paper 8 --;

Line 56, "in" should read -- on --; and

Line 67, "papers S" should read -- papers 8.

COLUMN 26:

Line 1, "numeral 213" should read -- numeral 213S --;

Line 19, "flush," should read -- flash, --;

Line 40, "paper S" should read -- paper 8 --;

Line 41, "covey" should read -- conveying --;

Line 41, "coveys" should read -- conveys --;

Line 42, "paper S" should read -- paper 8 --;

Line 50, "numeral 241" should read -- numeral 241S --; and

Line 52, "paper S" should read -- paper 8 --.

COLUMN 27:

Line 6, "detention" should read -- detection --; and

Line 34, "251" should read -- 281 --.

COLUMN 28:

Line 3, "covey" should read -- conveying --; and

Line 47, "seed" should read -- speed --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 29:

Line 4, "the/CCRT" should read -- the /CCRT --;

Line 10, "became" should read -- becomes --;

Line 11, "/DYR signal became" should read -- /RDY signal becomes --; and

Line 17, "became" should read -- becomes --.

COLUMN 30:

Line 12, "CPU409." should read -- CPU 409. --;

Line 15, "POUTT93," should read -- POUTT 93, --;

Line 16, PFEDT94" should read -- PFEDT 94 --; and

Line 16, "SPCNG95" should read -- PCNG 95 --.

COLUMN 32:

Line 49, "link" should read -- links --; and

Line 58, delete " "Release flag" ".

COLUMN 33:

Line 34, "RAM407." should read -- RAM 407. --;

Line 42, "during" should read -- when --;

Line 43, " "FAISE" " should read -- FALSE --;

Line 43, "/DFY" should read -- /RDY --; and

Line 51, "a" should read -- an --.

COLUMN 34:

Line 22, "ROM 440 " should read -- ROM 404 --;

Line 58, "TRUE-FAISE," should read -- TRUE→FALSE, --; and

Line 59, "an" should read -- a --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 35:

Line 56, "U1" should read -- UI --.

COLUMN 36:

Line 3, "name" should read -- name is --.

COLUMN 37:

Line 53, "called," should read -- called --.

COLUMN 39:

Line 27, " "2000.04.2 2" " should read -- "2000.04.22" --.

COLUMN 41:

Line 21, "to" should read -- to a --; and

Line 27, " "000-0001" " should read -- "000-0001", --.

COLUMN 42:

Line 29, "mode" should read -- modes --; and

Line 41, "detailed-classification" should read -- detailed classification --.

COLUMN 44:

Line 66, "date" should read -- data --.

COLUMN 46:

Line 59, "these process" should read -- these process steps --.

COLUMN 49:

Line 48, "title" should read -- title, --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 52:

Line 25, "host's" should read -- host --; and
Line 54, "notified" should read -- notified of --.

COLUMN 54:

Line 31, "1999. 12.31", " should read -- "1999.12.31", --; and
Line 41, "unit," should read -- unit --.

COLUMN 56:

Line 54, "image" should read -- images --.

COLUMN 58:

Line 30, "head" should read -- header -- and
Line 45, "name" should read -- names --;

COLUMN 59:

Line 40, "down load" should read -- download --.

COLUMN 60:

Line 4, "102" (first occurrence) should read -- 500 --; and
Line 60, "notified" should read -- notified of --.

COLUMN 61:

Lines 20 and 22, "carried" should read -- carried out --; and
Line 48, "with" should read -- with IP address --.

COLUMN 62:

Lines 41, 43, 45, 52 and 55, "with" should read -- with IP address --;
Line 50, "of" should read -- of IP address --; and
Lines 65 and 67, "another" should read -- other --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,461 B2

DATED : September 12, 2006

INVENTOR(S) : Nobuyoshi Kakigi, et al.

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 65:

Line 15, "is" should read -- are --;

Lines 19 and 55, "adopted;" should read -- adopted: --; and

Line 40, "realized;" should read -- realized: --.

COLUMN 66:

Line 11, "realized;" should read -- realized: --;

Line 15, "added," should read -- added --;

Line 21, "request" should read -- requests --;

Line 43, "instructions" should read -- instruction --; and

Line 50, "a" should read -- an --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,106,461 B2

No. of add'l. copies
@ 30¢ per page

FEB 21 2007

